

CONIX DUO– Product Range

Diameters up to 600mm			
T600–H1–W–V2–L50040–G(75)			
T450–N1–D–V2–L50040–G(75)			
T160–P1–W–V2–L50040–O(00)			
TERMINALS			
JI 060/JH 060: Tapered Terminal	■	■	■
JI 160: Open Terminal	■	■	■
JI 061: Anti-Backflow Terminal with locking clamp	■	■	■
JI 062: Rain Cap	■	■	■
JI 063: Venice Terminal with locking clamp	■	■	■
JI 065: Lamellar Terminal with locking clamp	■	■	■
STRAIGHT ELEMENTS			
JI 091/JH 091: Straight Chimney Section (944mm)	■	■	■
JI 093/JH 093: Straight Chimney Section (444mm)	■	■	■
JI 194/ JH 194: Straight Chimney Section (194mm)	■	■	■
JI 095/JH 095: Adjustable Element	■ ⁽¹⁾	■	
INSPECTION ELEMENTS			
JI 072: Inspection With Plug "T600-H1-W"	■	■	■
JI 097/JH 097: Element With Hole For Measurement Devices	■	■	■
JI N98/JH N98: Inspection With Plug "T450-N1-D"		■	
JI P98/JH P98: Inspection With Plug "T160-P1-W"	■ ⁽¹⁾		
TEE ELEMENTS			
JI 066: Tee Reduced To 80mm (WNI Female)	■ ⁽¹⁾		
JI 166: Tee Reduced To 80mm (WJI Male)	■ ⁽¹⁾		
JI 067: Tee With Air Intake (60/100mm)	■ ⁽¹⁾		
JI 070: 90° Tee	■	■	■
JI 170: 87° Tee	■	■	■
JI N71: 45° Tee		■	
JI P71: 45° Tee	■		
ELBOWS			
JI 179/JH 179: 3° Elbow	■	■	■
JI 073/JH 073: 15° Elbow	■	■	■
JI 074/JH 074: 30° Elbow	■	■	■
JI 042/ JH 042: 42° Elbow	■	■	■
JI 075/JH 075: 45° Elbow	■	■	■
STARTING ELEMENTS			
JI 077/JH 077: Condensate Drain	■	■	■
JI 180: Starting Plate With Drain	■	■	■
JI 081: Middle Plate To Joint JI(F)-KI(M)	■	■	■
JI 082: Middle Plate	■	■	■
JH 082-O: Middle Plate for horizontal part	■	■	■
JH 082-V: Middle Plate for vertical part	■	■	■
CONNECTION ELEMENTS			
JI 025 : Joint Element To 80mm (Sleeve)	■	■	■
JI 026: Joint Element To 100mm (Sleeve)	■	■	■
JI 029/JH29: WKI(F)-WJI(M) Joint Element	■	■	■
JI 030/JH 030: WJI(F)-WKI(M) Joint Element	■	■	■
JI 096/ JH 096: Tapered Joint D,(Female)-D,(Male)	■	■	■
ACCESSORIES			
JI 013/ JH 033: Element With Condensate Drain	■	■	■
JI 019: Pressure Equalising Opening	(n.a.)	(n.a.)	(n.a.)
JI 033/ JH 033: Plug For Cascade Arrangement	■	■	■

(1): with seal ; (n.a.): not applicable

CONIX DUO– Product Range

For diameters more than 600mm			
T600–P2–W–V2–L50040–G(75)			
T450–N1–D–V2–L50040–G(75)			
T160–P2–W–V2–L50040–O(00)			
TERMINALS			
JH 060: Tapered Terminal	■	■	■
STRAIGHT ELEMENTS			
JI/JH 091: Straight Chimney Section (944mm)	■	■	■
JI 093/JH 093: Straight Chimney Section (444mm)	■	■	■
JI 194/JH194: Straight Chimney Section (194mm)	■	■	■
JI 095/ JH 095: Adjustable Element	■ ⁽¹⁾	■	
INSPECTION ELEMENTS			
JI 072: Inspection With Plug “T600-H1-W”	■	■	■
JI 097/JH 097: Element With Hole For Measurement Devices	■	■	■
JI N98/JH N98: Inspection With Plug “T450-N1-D”		■	
JI P98/JH P98: Inspection With Plug “T160-P1-W”	■ ⁽¹⁾		
TEE ELEMENTS			
JI 070/JH 070: 90° Tee	■	■	■
JI 170/JH 170: 87° Tee	■	■	■
JI N71: 45° Tee		■	
JI P71: 45° Tee	■		
ELBOWS			
JI 179/JH 179: 3° Elbow	■	■	■
JI 073/JH 073: 15° Elbow	■	■	■
JI 074/JH 074: 30° Elbow	■	■	■
JI 042/JH 042: 42° Elbow	■	■	■
JI 075/ JH 075: 45° Elbow	■	■	■
STARTING ELEMENTS			
JH 077: Condensate Drain	■	■	■
JI 180: Starting Plate With Drain	■	■	■
JH 082-O: Middle Plate for vertical part	■	■	■
JH 082-H: Middle Plate for horizontal part	■	■	■
CONNECTION ELEMENTS			
JH 029: KI(F)-JI(M) Joint Element	■	■	■
JH 030: JI(F)-KI(M) Joint Element	■	■	■
JH 096: Raccordo Conico D _i (Femmina)-D _r (Male) / Tapered Joint D _i (Female)-D _r (Male)	■	■	■
ACCESSORIES			
JH 013: Element With Condensate Drain	■	■	■
JI 033: Plug For Cascade Arrangement	(n.a.)	(n.a.)	(n.a.)
JH 090: Switching element from WJI to WJH	■	■	■
JH 086: Element useful to reduce the noise of big power appliance	■	■	■
JH 085: Element useful to compensate thermal dilatation	■	■	■
JH 013: Element With Condensate Drain	■	■	■

(1): with seal ; (n.a.): not applicable

